


Title: METHOD AND DEVICE FOR PRESS-FITTING, INTO STORAGE OUTER TUBE, CERAMIC CATALYST CARRIER HAVING NON-EXPANSION MAT WRAPPED THEREAROUND INTO STORAGE OUTER TUBE
Inventor(s): Yasuhiro SUGIYAMA
DOCKET NO.: 047084-0149

17/11


FIG. 1



Title: METHOD AND DEVICE FOR PRESS-FITTING, INTO STORAGE OUTER TUBE, CERAMIC CATALYST CARRIER HAVING NON-EXPANSION MAT WRAPPED THEREAROUND INTO STORAGE OUTER TUBE
Inventor(s): Yasuhiro SUGIYAMA
DOCKET NO.: 047084-0149

2/11


FIG. 2



Title: METHOD AND DEVICE FOR PRESS-FITTING, INTO STORAGE OUTER TUBE, CERAMIC CATALYST CARRIER HAVING NON-EXPANSION MAT WRAPPED THEREAROUND INTO STORAGE OUTER TUBE
Inventor(s): Yasuhiro SUGIYAMA
DOCKET NO.: 047084-0149

3/11

FIG. 3



4/11

FIG. 4





FIG. 5



5/11

FIG. 6




FIG. 7






FIG. 8



7/11

FIG. 9




Title: METHOD AND DEVICE FOR PRESS-FITTING, INTO STORAGE OUTER TUBE, CERAMIC CATALYST CARRIER HAVING NON-EXPANSION MAT WRAPPED THEREAROUND INTO STORAGE OUTER TUBE
Inventor(s): Yasuhiro SUGIYAMA
DOCKET NO.: 047084-0149


8/11

FIG. 10

(a)



(b)



9/11

FIG. 11






FIG. 12




10/11

FIG. 13

(a)




(b)



11/11

FIG. 14

(a)



(b)

